Doctor			
Patient	Last Name:	First Name:	
Date	Sent:	Required:	12 рм / 6 рм







Tooth Number:	Basic Shade Stump Shade	Lab's Copy
Express Service Digital Impression Shade Matching Face scanning	e.max Translucency HT MT	LT
	IP Contacts	
☐ Inlay ☐ Onlay ☐ Crown ☐ Bridge ☐ Veneer ☐ Temporary ☐ Maryland Bridge	Occlusal Contacts	None
e.max CAD e.max Press e.max layered PMMA	Interdental Space	
☐ Zirconia ☐ Zirconia layered ☐ Hybrid Ceramics (e.g. LAVA Ultimate)	Instructions:	Characterisation:
Implant Prosthesis: Implant System: Platform:		
Single or Short Span units		XN
☐ Zr Abutment on TiBase ☐ Ti Abutment		4 __
☐ Temporary Crown / Bridge ☐ Full Contour Zr Crown / Bridge on TiBase		
Procera ASC / FCZ		
Full Arch Prostheses		\sim
Nexus Hybrid Bridge with ☐ Acrylic Superstucture ☐ Zr Superstucture		(')
☐ Ti Framework + Acrylic Teeth		
☐ Full Contour Zr Bridge on TiBases		\sim
☐ Pekkton Framework with ☐ Acrylic Teeth ☐ Zr Crowns ☐ e.max Crowns		Occlusal Stain:
Procera Implant Bridge RODO (Smileloc)		☐ Heavy
☐ Immedicate temporary bridge		☐ Light
Implant Surgical Guide:		□ None
☐ Model Scanning ☐ Surgical Guide ☐ Surgical Guide Planning		Pontic Design:
Miscellaneous:		Ridge Point Contact
☐ Diagnostic Wax-up ☐ Printed 3D Model ☐ Face scan integration		
☐ Special Tray (☐U / ☐L) ☐ Whitening Tray (☐U / ☐L)	Photo by Email Whatsapp Dropbox	Modify Ridge Ovate
Sport Guard Night Guard Essix Appliance Occlusal Splint	eLAB photosEnclosed:	Woodily Ridge Ovate





